

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: 100 bp DNA Ladder

Catalog Number: N3231S
Concentration: 500 μg/ml

Unit Definition: N/A

Lot Number: 10012403
Expiration Date: 04/2020
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl (pH 8.0), 1 mM EDTA

Specification Version: PS-N3231S/L v1.0

100 bp DNA Ladder Component List			
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result
N3231SVIAL	100 bp DNA Ladder	1231804	Pass
B7025SVIAL	Gel Loading Dye, Purple (6X), no SDS	10010190	Pass

Assay Name/Specification	Lot # 10012403	
Non-Specific DNase Activity (DNA, 16 hour) A 50 µl reaction in 1X NEBuffer 2 containing 2.5 µg of 100 bp DNA Ladder incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass	
A260/A280 Assay The ratio of UV absorption of 100 bp DNA Ladder at 260 and 280 nm is between 1.8 and 2.0.	Pass	
Electrophoretic Pattern (Marker) The banding pattern of 100 bp DNA Ladder on a 1.2% agarose gel shows discrete, clearly identifiable bands at each band of the marker, when stained with Ethidium Bromide at a concentration of 0.5 μg/ml.	Pass	
DNA Concentration (A260) The concentration of 100 bp DNA Ladder is between 500 and 550 μg/ml as determined by UV absorption at 260 nm.	Pass	

This product has been tested and shown to be in compliance with all specifications.



N3231S / Lot: 10012403

Page 1 of 2

Tony Spear-Alfonso **Production Scientist** 15 Jun 2018

Mary Conlon Packaging Quality Control Inspector

02 Jul 2018