

www.neb.com info@neb.com



New England Biolabs Certificate of Analysis

Product Name: Blue Prestained Protein Standard

Catalog Number: P7718G
Packaging Lot Number: 10230412
Expiration Date: 12/2025
Storage Temperature: -20°C

Storage Conditions: 62.5 mM Tris-Phosphate, 1 mM EDTA, 2% SDS, 10 mM DTT, 1 mM NaN3, 33%

Glycerol

Specification Version: PS-P7718G v1.0

Blue Prestained Protein Standard Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
P7718GVIAL	Blue Prestained Protein Standard	10214171	Pass

Assay Name/Specification	Lot # 10230412
Electrophoretic Pattern (Protein Marker)	Pass
The banding pattern of Blue Prestained Protein Standard, Broad Range (11-250 kDa) on a 10-20% Tris-Glycine gel shows discrete, clearly identifiable bands at each band of the marker, as determined by gel electrophoresis using Coomassie Blue detection.	
Protease Activity (Protein Markers & Ladders)	Pass
A 20 µl sample of Blue Prestained Protein Standard, Broad Range (11-250 kDa)	
incubated for 16 hours at 37°C, results in no detectable degradation of the protein	
mixture as determined by SDS-PAGE with Coomassie Blue detection.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



P7718G / Lot: 10230412

Page 1 of 2



Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com



Beth M. Paschel

Beth Paschal Production Scientist 20 Dec 2023 Josh Hersey

Packaging Quality Control Inspector

06 May 2024

P7718G / Lot: 10230412

Page 2 of 2