

## New England Biolabs Certificate of Analysis

**Product Name:** CLIP-Cell™ TMR-Star  
**Catalog Number:** S9219S  
**Packaging Lot Number:** 10070132  
**Expiration Date:** 03/2025  
**Storage Temperature:** -20°C  
**Specification Version:** PS-S9219S v3.0

CLIP-Cell™ TMR-Star Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
S9219SVIAL	CLIP-Cell™ TMR-Star	10065674	Pass

Assay Name/Specification	Lot # 10070132
<b>Physical Purity (HPLC)</b> CLIP-Cell™ TMR-Star is ≥ 90% pure as determined by HPLC analysis.	<b>Pass</b>
<b>In Vitro Protein Labeling</b> A 50 µl reaction in 1X PBS and 1 mM DTT containing 5 µM of CLIP-tag® Purified Protein and a minimum of 10 µM of CLIP-Cell™ TMR-Star is incubated for 1 hour at 37°C results in the expected labeled product that is visualized on SDS-PAGE by fluorescent detection.	<b>Pass</b>
<b>Identity (Mass Spectrometry)</b> The observed molecular mass of CLIP-Cell™ TMR-Star is 643.3 Da +/- 1 Da as determined by mass spectrometry analysis.	<b>Pass</b>

This product has been tested and shown to be in compliance with all specifications.

*Christopher R. Provost*

---

Chris Provost  
Production Scientist  
26 May 2020

*Michael Tonello*

---

Michael Tonello  
Packaging Quality Control Inspector  
26 May 2020