

New England Biolabs Certificate of Analysis

Product Name: NEBNext[®] Adaptor Dilution Buffer
Catalog Number: B1430S
Packaging Lot Number: 10075515
Expiration Date: 01/2022
Storage Temperature: -20°C
Specification Version: PS-B1430S v2.0

NEBNext [®] Adaptor Dilution Buffer Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
B1430SVIAL	NEBNext Dilution Buffer for the NEBNext Adaptor	10071641	Pass

Assay Name/Specification	Lot # 10075515
<p>Endonuclease Activity (Nicking, Buffer) A 50 µl reaction in 1X NEBNext[®] Adaptor Dilution Buffer containing 1 µg of supercoiled PhiX174 DNA incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.</p>	Pass
<p>Non-Specific DNase Activity (16 hour, Buffer) A 50 µl reaction in 1X NEBNext[®] Adaptor Dilution Buffer containing 1 µg of T3 or T7 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.</p>	Pass
<p>Phosphatase Activity (pNPP, Buffer) A 200 µl reaction in 1M Diethanolamine @ pH 9.8 and 0.5 mM MgCl₂ containing 2.5 mM p-Nitrophenyl Phosphate (pNPP) and a minimum of 20 µl NEBNext[®] Adaptor Dilution Buffer incubated for 4 hours at 37°C yields <0.00001 unit of alkaline phosphatase activity as determined by spectrophotometric analysis.</p>	Pass
<p>RNase Activity (Buffer) A 10 µl reaction in 1X NEBNext[®] Adaptor Dilution Buffer containing 40 ng of a 300 base single-stranded RNA is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

Christine Sumner

Christine Sumner
Production Scientist
12 May 2020

Michael Tonello

Michael Tonello
Packaging Quality Control Inspector
12 May 2020