

## New England Biolabs Certificate of Analysis

Product Name: NEB<sup>®</sup> Turbo Electrocompetent *E.coli*  
 Catalog Number: C2986K  
 Lot Number: 10029521  
 Expiration Date: 11/2019  
 Storage Temperature: -80°C  
 Specification Version: PS-C2986K v1.0

NEB <sup>®</sup> Turbo Electrocompetent <i>E.coli</i> Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N3041AVIAL	pUC19 Vector	10025691	Pass
C2986KVIAL	NEB <sup>®</sup> Turbo Electrocompetent <i>E.coli</i>	10027947	Pass
B9020SVIAL	SOC Outgrowth Medium	10014592	Pass

Assay Name/Specification	Lot # 10029521
<b>Antibiotic Resistance (Nitrofurantoin)</b> 15 µl of untransformed NEB <sup>®</sup> Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Nitrofurantoin will form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Ampicillin)</b> 15 µl of untransformed NEB <sup>®</sup> Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Chloramphenicol)</b> 15 µl of untransformed NEB <sup>®</sup> Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Kanamycin)</b> 15 µl of untransformed NEB <sup>®</sup> Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Spectinomycin)</b> 15 µl of untransformed NEB <sup>®</sup> Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Spectinomycin will not form colonies after incubation	Pass

Assay Name/Specification	Lot # 10029521
<p>for 16 hours at 37°C.</p> <p><b>Antibiotic Sensitivity (Streptomycin)</b> 15 µl of untransformed NEB® Turbo Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at 37°C.</p>	<b>Pass</b>
<p><b>Antibiotic Sensitivity (Tetracycline)</b> 15 µl of untransformed NEB® Turbo Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.</p>	<b>Pass</b>
<p><b>Blue-White Screening (α-complementation, Competent Cells)</b> NEB® Turbo Electrocompetent E. coli were shown to be suitable for blue/white screening by α-complementation of the β-galactosidase gene using pUC19.</p>	<b>Pass</b>
<p><b>Phage Resistance (φ 80)</b> 15 µl of untransformed NEB® Turbo Electrocompetent E. coli streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C.</p>	<b>Pass</b>
<p><b>Transformation Efficiency</b> 25 µl of NEB® Turbo Electrocompetent E. coli cells were transformed with 10 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in &gt;1 x 10<sup>10</sup> cfu/µg of DNA.</p>	<b>Pass</b>

This product has been tested and shown to be in compliance with all specifications.



Quieting Ren  
Production Scientist  
19 Nov 2018



Nick Privitera  
Packaging Quality Control Inspector  
19 Nov 2018