NEW ENGLAND BioLabs Inc.
be INSPIRED drive DISCOVERY stay GENUINE
240 County Road
Ipswich, MA 01938-2723
Tel 978-927-5054
Fax 978-921-1350
www.neb.com
info@neb.com

New England Biolabs
Certificate of Analysis

Product Name:	*BsiWI*
Catalog Number:	*R0553S*
Concentration:	*10,000 U/ml*
Unit Definition:	*One unit is defined as the amount of enzyme required to digest 1 µg of PhiX174 DNA in 1 hour at 55°C in a total reaction volumn of 50 µl.*
Packaging Lot Number:	*10149359*
Expiration Date:	*04/2024*
Storage Temperature:	*-20°C*
Storage Conditions:	*300 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 500 µg/ml BSA*
Specification Version:	*PS-R0553S/L v1.0*

BsiWI Component List

NEB Part Number	Component Description	Lot Number	Individual QC Result
R0553SVIAL	BsiWI	10149357	**Pass**
B7024AVIAL	Gel Loading Dye, Purple (6X)	10144740	**Pass**
B6003SVIAL	NEBuffer™ r3.1	10146823	**Pass**

Assay Name/Specification	Lot # 10149359
Ligation and Recutting (Terminal Integrity) After a 10-fold over-digestion of PhiX174 DNA with BsiWI, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16ºC. Of these ligated fragments, >95% can be recut with BsiWI.	**Pass**
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in NEBuffer 3.1 containing 1 µg of PhiX174 DNA and a minimum of 10 Units of BsiWI incubated for 16 hours at 55ºC results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	**Pass**
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in NEBuffer 3.1 containing 1 µg of a mixture of single and double-stranded [^{3}H] E. coli DNA and a minimum of 20 units of BsiWI incubated for 4 hours at 55ºC releases <0.1% of the total radioactivity.	**Pass**
Endonuclease Activity (Nicking) A 50 µl reaction in NEBuffer 3.1 containing 1 µg of supercoiled pUC19 DNA and a	**Pass**

NEW ENGLAND BioLabs Inc.
be INSPIRED drive DISCOVERY stay GENUINE
240 County Road
Ipswich, MA 01938-2723
Tel 978-927-5054
Fax 978-921-1350
www.neb.com
info@neb.com

Assay Name/Specification	Lot # 10149359
minimum of 10 Units of BsiWI incubated for 4 hours at 55ºC results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghua Zhang
Production Scientist
06 May 2022

Michael Tonello
Packaging Quality Control Inspector
06 May 2022