

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: BssSI-v2
Catalog Number: R0680S
Concentration: 10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 10112336 Expiration Date: 06/2023 Storage Temperature: -20°C

Storage Conditions: 300 mM NaCl , 10 mM Tris-HCl, 1 mM DTT , 0.1 mM EDTA , 50 % Glycerol

, 500 μg/ml BSA, (pH 7.4 @ 25°C)

Specification Version: PS-R0680S/L v2.0

| BssSI-v2 Component List | | | | |
|-------------------------|-----------------------|------------|----------------------|--|
| NEB Part Number | Component Description | Lot Number | Individual QC Result | |
| R0680SVIAL | BssSI-v2 | 10110637 | Pass | |
| B6004SVIAL | rCutSmart™ Buffer | 10108412 | Pass | |

| Assay Name/Specification | Lot # 10112336 |
|--|----------------|
| Exonuclease Activity (Radioactivity Release) A 50 μl reaction in CutSmart® Buffer containing 1 μg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 100 units of BssSI-v2 incubated | Pass |
| for 4 hours at 37°C releases <0.1% of the total radioactivity. Functional Testing (15 minute Digest) | Pass |
| A 50 µl reaction in CutSmart® Buffer containing 1 µg of Lambda DNA and 1 µl of BssSI-v2 incubated for 15 minutes at 37°C results in complete digestion as determined by agarose gel electrophoresis. | 1 400 |
| Ligation and Recutting (Terminal Integrity) After a 20-fold over-digestion of Lambda DNA with BssSI-v2, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with BssSI-v2. | Pass |
| Non-Specific DNase Activity (16 hour) A 50 μl reaction in CutSmart® Buffer containing 1 μg of Lambda DNA and a minimum of 10 units of BssSl-v2 incubated for 16 hours at 37°C results in a DNA pattern free of | Pass |
| detectable nuclease degradation as determined by agarose gel electrophoresis. NOTE: | |



R0680S / Lot: 10112336

Page 1 of 2

| Assay Name/Specification | Lot # 10112336 |
|---|----------------|
| although no nuclease degradation is detected under these conditions, extended incubations and/or high concentrations of this enzyme may result in star activity. See the product FAQ for recommended reaction conditions for this enzyme. | |
| Protein Purity Assay (SDS-PAGE) BssSI-v2 is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection | Pass |

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghua Zhang **Production Scientist**

29 Jun 2021

Michael Tonello

Packaging Quality Control Inspector

29 Jun 2021



R0680S / Lot: 10112336

Page 2 of 2