NEW ENGLAND BioLabs® Inc.

240 County Road
Ipswich, MA 01938-2723

Tel 978-927-5054
Fax 978-921-1350

www.neb.com
info@neb.com

# New England Biolabs
# Certificate of Analysis

| | |
|---|---|
| *Product Name:* | *PvuII-HF®* |
| *Catalog #:* | *R3151S/L* |
| *Concentration:* | *20,000 units/ml* |
| *Unit Definition:* | *One unit is defined as the amount of enzyme required to digest 1 µg of Lambda DNA in 1 hour at 37° in a total reaction volume of 50 µl.* |
| *Lot #:* | *0021406* |
| *Assay Date:* | *06/2014* |
| *Expiration Date:* | *6/2016* |
| *Storage Temp:* | *-20 °C* |
| *Storage Conditions:* | *200 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 200 µg/ml BSA* |
| *Specification Version:* | *PS-R3151S/L v1.0* |
| *Effective Date:* | *01 Jul 2014* |

| **Assay Name/Specification** (minimum release criteria) | **Lot #0021406** |
|---|---|
| **Endonuclease Activity (Nicking)** - A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 200 Units of PvuII-HF™ incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis. | **Pass** |
| **Exonuclease Activity (Radioactivity Release)** - A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [ $^{3}$H] *E. coli* DNA and a minimum of 200 units of PvuII-HF™ incubated for 4 hours at 37°C releases <0.1% of the total radioactivity. | **Pass** |
| **Ligation and Recutting (Terminal Integrity)** - After a 10-fold over-digestion of Lambda DNA with PvuII-HF™, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with PvuII-HF™. | **Pass** |
| **Non-Specific DNase Activity (16 Hour)** - A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of 100 Units of PvuII-HF™ incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis. | **Pass** |

* *The BSA in this product has been granted an EDQM "Certificate of Suitability" from the European Directorate for the Quality of Medicines (# R1-CEP-2003-204-Rev00) and has been granted a USDA Certificate for Export of Bovine Blood Plasma/Serum for Manufacture into Pharmaceutical Products.*

Authorized by
Derek Robinson
01 Jul 2014

Inspected by
Penghua Zhang
01 Jul 2014

nqa ISO 9001 Registered Quality Management
nqa ISO 14001 Registered Environmental Management
nqa ISO 13485 Registered Medical Devices