

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350

Date

30 Apr 2021

www.neb.com info@neb.com

New England Biolabs Product Specification

Product Name: LunaScript® RT Master Mix Kit (Primer-free)

Catalog #: E3025S/L

Kit Components: LunaScript® RT Master Mix (Primer-free) (M3025)

No-RT Control Mix (Primer-free) (M3026)

Nuclease-free Water (B1502)

Shelf Life: 24 months
Storage Temp: -20°C

Specification Version: PS-E3025S/L v1.0

Effective Date: 30 Apr 2021

Assay Name/Specification (minimum release criteria)

Functional Testing (RT-PCR, Length) - The performance of LunaScript® RT Master Mix Kit (Primer-free) is tested in a 20 μ l RT reaction with 1 μ g human total RNA. The length of the product is verified by amplification using 1 μ l of the RT reaction and 36 cycles of PCR amplification resulting in the expected 9.3 kb product. The target is not amplified from the no-RT control reactions.

Functional Testing (Two-Step RT-qPCR) - The LunaScript® RT Master Mix Kit (Primer-free) is functionally tested in two-step RT-qPCR with human RNA template and Random Primer Mix, resulting in a standard curve with a calculated qPCR efficiency of 90-110%, and a dynamic range of 7 orders of magnitude.

* Individual Product Component Note - Standard Quality Control Tests are performed for each component included in LunaScript® RT Master Mix Kit (Primer-free) and meet the designated specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Derek Robinson

Director, Quality Control





