NEW ENGLAND Biolabs®

240 County Road
Ipswich, MA 01938-2723

Tel 978-927-5054
Fax 978-921-1350

www.neb.com
info@neb.com

New England Biolabs
Product Specification

Product Name:	*SfiI*
Catalog #:	*R0123S/L/V*
Concentration:	*20,000 units/ml*
Unit Definition:	*One unit is defined as the amount of enzyme required to digest 1 µg of pXba in 1 hour at 50°C in a total reaction volume of 50 µl.*
Shelf Life:	*24 months*
Storage Temp:	*-20°C*
Storage Conditions:	*250 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 0.15% Triton X-100, 200 µg/ml BSA*
Specification Version:	*PS-R0123S/L v1.0*
Effective Date:	*05/09/2013*

Assay Name/Specification (minimum release criteria)
Endonuclease Activity (Nicking) - A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 100 units of SfiI incubated for 4 hours at 50ºC results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.
Exonuclease Activity (Radioactivity Release) - A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [^{3}H] *E. coli* DNA and a minimum of 100 units of SfiI incubated for 4 hours at 50ºC releases <0.1% of the total radioactivity.
Ligation and Recutting (Terminal Integrity) - After a 10-fold over-digestion of pXba DNA with SfiI, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16ºC. Of these ligated fragments, >95% can be recut with SfiI.
Non-Specific DNase Activity (16 Hour) - A 50 µl reaction in CutSmart™ Buffer containing 1 µg of pXba DNA and a minimum of 100 units of SfiI incubated for 16 hours at 50ºC results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.
Protein Purity Assay (SDS-PAGE) - SfiI is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.

240 County Road
Ipswich, MA 01938-2723

Tel 978-927-5054
Fax 978-921-1350

www.neb.com
info@neb.com

New England Biolabs
Product Specification

One or more products referenced in this document may be covered by a 3rd-party trademark.
Please visit www.neb.com/trademarks for additional information.

Date 05/09/2013

Derek Robinson
Quality Approver

ISO 9001 Registered Quality Management
ISO 14001 Registered Environmental Management
ISO 13485 Registered Medical Devices