

Oligo d(T)18 mRNA Primer



1-800-632-7799
info@neb.com
www.neb.com



S1316S 010150618061

S1316S

5.0 A₂₆₀ unit Lot: 0101506

Store at -20°C Exp: 6/18

Description: This primer is used for the priming and sequencing of mRNA adjacent to the 3-poly A tail (1).

Supplied as a lyophilized triethylammonium salt. Reconstitute with water.

Chromatographic Analysis: TLC PEI Cellulose, 0.5 M LiC17 M Urea Rf 1.25 vs yellow dye.

This Primer Does Not Contain a 5' Phosphate

TLC DEAE Cellulose, Homomix III, ³²P labelled oligomer Rf 0.63 vs yellow dye.

Special Data = Max 267 nm.

OD/mg = 27

5.0 A₂₆₀ unit = 185 µg or 34.15 nmoles

Reference:

1. Smith, M. (1980) *Nucleic Acids Research Symposium Series No. 7*, 387-395.

CERTIFICATE OF ANALYSIS

Oligo d(T)18 mRNA Primer



1-800-632-7799
info@neb.com
www.neb.com



S1316S 010150618061

S1316S

5.0 A₂₆₀ unit Lot: 0101506

Store at -20°C Exp: 6/18

Description: This primer is used for the priming and sequencing of mRNA adjacent to the 3-poly A tail (1).

Supplied as a lyophilized triethylammonium salt. Reconstitute with water.

Chromatographic Analysis: TLC PEI Cellulose, 0.5 M LiC17 M Urea Rf 1.25 vs yellow dye.

This Primer Does Not Contain a 5' Phosphate

TLC DEAE Cellulose, Homomix III, ³²P labelled oligomer Rf 0.63 vs yellow dye.

Special Data = Max 267 nm.

OD/mg = 27

5.0 A₂₆₀ unit = 185 µg or 34.15 nmoles

Reference:

1. Smith, M. (1980) *Nucleic Acids Research Symposium Series No. 7*, 387-395.

CERTIFICATE OF ANALYSIS